## **SAFETY DATA SHEET**

# SECTION 1 – PRODUCT AND COMPANY IDENTIFICATION

Product Identifier : Henry® 2575 Heavy Duty Adhesive

Product Code : 37519022

Trade Name/Synonyms : Henry 2575 Heavy Duty

Recommended Use : One component, modified silane flooring adhesive.

Uses Advised Against : Use only as recommended. See product's Technical Data Sheet.

Manufacturer's name and address:

ARDEX L.P.

400 Ardex Park Drive

Aliquippa, PA 15001 USA

Information Telephone No. : (800) 232-4832 or (724) 203-8000

Website Address : <a href="http://www.wwhenry.com">http://www.wwhenry.com</a>

24 Hr Emergency Telephone # : CHEM-TEL: 1-800-255-3924 OR 1-813-248-0585 (call collect)

## **SECTION 2 – HAZARDS IDENTIFICATION**

GHS Classification per 29 CFR 1910.1200 (OSHA HCS 2012) and HPR (WHMIS 2015)

Not classified as hazardous.

**GHS Pictograms** 

None.

Signal Word

None.

**Hazard Statements** 

None.

Safe Handling Instructions: Avoid eye and skin contact. It is recommended to use safety glasses and

gloves during handling. During installation process, adequate ventilation of the

work area should be maintained. Keep container tightly closed.

**Hazards Not Otherwise Classified** 

None.

% With Unknown Acute Toxicity : Less than 1% by weight of this product is comprised of ingredients with

unknown acute toxicity.

# SECTION 3 – COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients	CAS#	% (by weight)
No hazardous ingredients	N/Ap	100

#### **SECTION 4 – FIRST AID MEASURES**

General : Call a doctor if you feel unwell.

Inhalation : Remove person to fresh air and keep at rest in a position comfortable for breathing.

**Skin contact** : Wash with plenty of soap and water.

Eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. Get medical advice/attention.

Ingestion : Rinse mouth. Do NOT induce vomiting. Get medical advice/attention.

Notes for Physician : Treat symptomatically.

Signs and symptoms of short-term (acute) exposure

Inhalation : None known.

Skin : Symptoms may include mild redness or itching.

Eyes : Symptoms may include mild redness, itching, or pain.

Ingestion : None known.

Effects of long-term (chronic) exposure

: None known.

Indication of need for immediate medical attention or special treatment

: None known.

#### SECTION 5 – FIRE FIGHTING MEASURES

Suitable extinguishing media

: Carbon dioxide, dry chemical powder, alcohol resistant foam or water spray.

Unsuitable extinguishing media

: Water jet may spread the burning material.

**Hazardous combustion products** 

Carbon monoxide, carbon dioxide, as well as other toxic vapors and gases which

are common to thermal degradation of organic compounds.

Special fire-fighting procedures/equipment

Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode. Move containers from fire area if safe to do so. Water spray may be useful in cooling equipment exposed to heat and flame. After fires have been extinguished, carefully clean all

equipment and surfaces exposed to fumes.

**Environmental precautions** 

: Do not allow material to enter drains or contaminate ground water system.

Fire hazards/conditions of flammability

: Not flammable under normal conditions of use. Closed containers may rupture if

exposed to excess heat or flame due to a build-up of internal pressure.

Flammability classification (OSHA 29 CFR 1910.1200, WHMIS 2015)

: Not flammable.

NFPA Rating : 0 - Minimal 1 - Slight 2 - Moderate 3 - Serious 4 - Severe

Health: 0 Flammability 1 Instability 0 Special Hazards: None

# **SECTION 6 – ACCIDENTAL RELEASE MEASURES**

Personal precautions : Restrict access to area until completion of clean-up. All persons dealing with

clean-up should wear the appropriate chemically protective equipment.

Protective equipment : Refer to Section 8 for additional information on acceptable personal protective

equipment.

Emergency Procedures : This product does not contain any components requiring reporting of spills to the

U.S. EPA. In case of a spill or release, call the emergency telephone number

found in Section 1.

Methods and materials for containment and cleaning up

: Ventilate area of release. Stop spill or leak at source if safely possible. Contain product with inert absorbent material, preventing it from entering sewer lines or waterways. Gather up spilled material and place in suitable container for later disposal (see Section 13). Residual of product, while still wet, can be cleaned up

with warm soapy water. Notify the appropriate authorities as required.

**Prohibited materials** : None known.

Environmental precautions : Do not allow product to enter drains or waterways. Do not allow material to

contaminate ground water system.

**Reference to other sections** : See Section 13 for disposal information.

#### SECTION 7 – HANDLING AND STORAGE

Safe handling procedures : Wear suitable protective equipment during handling. (See Section 8.) Observe

good hygiene standards. Wash thoroughly after handling. Avoid contact with eyes,

skin, or clothing. Keep container tightly closed.

Storage requirements : Store in a cool, dry area. Store away from heat and open flame. Avoid storing in

direct sunlight. Store in original container. Keep tightly closed when not in use. Do

not reuse empty container without commercial cleaning or reconditioning.

Incompatible materials : See Section 10.

Special packaging materials : Always keep in containers made of the same materials as the supply container.

## SECTION 8 – EXPOSURE CONTROLS AND PERSONAL PROTECTION

Permissible Exposure Limits : No exposure limits have been established for the product itself. Below are exposure

limits for the components in the product.

Ingredients	CAS#	ACGIH TLV		OSHA PEL	
		TWA	STEL	PEL	STEL
No hazardous ingredients	N/Ap	N/Ap	N/Ap	N/Ap	N/Ap

Engineering Controls : Use general or local exhaust ventilation to maintain air concentrations below

recommended exposure limits. Ventilation should effectively remove and prevent

buildup of any vapor generated from the handling of this product.

**Personal Protection Equipment** 

Eye / face protection : Wear safety glasses.

**Skin protection** : Wear gloves which are impervious to the material. Materials such as nitrile rubber

or Viton (fluorocarbon rubber) are recommended.

**Body protection** : Where extensive exposure to product is possible, use resistant coveralls, apron and

boots to prevent contact.

**Respiratory protection**: Under normal conditions of use with adequate ventilation, respiratory protection

should not be necessary. If work process generates excessive quantities of vapor or dust, or exposures exceeding any PEL, wear an appropriate organic vapor

espirator.

Site safety equipment : An eyewash station and safety shower should be made available in the immediate

working area.

General hygiene considerations : Avoid contact with eyes, skin and clothing. Upon completion of work, wash hands

thoroughly. Remove soiled clothing and wash it thoroughly before reuse. Clean all

equipment and clothing at end of each work shift.

# SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Physical state Paste **Appearance** : white paste Odor Characteristic Odor threshold : N/Av pН N/Av Specific gravity 1.37 **Boiling point** 741°F (394°C) Coefficient of water/oil distribution : N/Av Melting/Freezing point Solubility in water : Not miscible : N/Av Vapor pressure (mm Hg @ 20°C / 68°F) : N/Av Evaporation rate (n-Butyl acetate = 1) : N/Av Vapor density (Air = 1) : N/Av Volatiles (% by weight, including water): N/Av

Volatile organic compounds (VOCs) : 0 g/L SCAQMD 1168

Particle size N/Av Flammability classification : Not flammable Flash point : >200°C (>392°F) Lower flammable limit (% by vol) : Not available Flash point method : Setaflash closed Upper flammable limit (% by vol) : Not available **Auto-ignition temperature** : 330°C (626°F) **Decomposition temperature** : Not available : 75,000 mPas Viscosity Oxidizing properties : Not available

#### Explosion data: Sensitivity to mechanical impact / static discharge

: Not expected to be sensitive to mechanical impact or static discharge.

## **SECTION 10 – REACTIVITY AND STABILITY INFORMATION**

Reactivity : This product undergoes a polymerization reaction in the presence of water. This

reaction does not generate heat.

Stability : Stable under the recommended storage and handling conditions.

**Hazardous reactions** : Hazardous polymerization does not occur.

Conditions to avoid : Extreme heat.

Materials to avoid and incompatibility

: Strong acids and oxidizing agents.

**Hazardous decomposition products** 

This product releases low levels of methanol vapor in the presence of water. Also

see Section 5.

## **SECTION 11 – TOXICOLOGICAL INFORMATION**

Routes of exposure : Inhalation: YES Skin Absorption: NO Skin and Eyes: Yes Ingestion: YES

Symptoms of exposure : See Section 4.

Calculated Acute Toxicity Estimates for the Product

 Inhalation
 : N/Av

 Oral
 : N/Av

 Dermal
 : N/Av

**Toxicological data** : There are no available data for the product itself, only for the ingredients. See

below for individual ingredient acute toxicity data.

	LC50 (4 hr)	LD50		
Ingredients	Inhalation, rat	Oral, rat	Dermal, rabbit	
No hazardous ingredients.	N/Av	N/Av	N/Av	

Skin corrosion or irritation : None known.

Serious eye damage / eye irritation : none known.

Respiratory or skin sensitization : None known.

Germ cell mutagenicity : None known.

Carcinogenic status : No components present at 0.1% or greater are classified as carcinogenic by IARC,

ACGIH, NTP, and OSHA.

Reproductive toxicity : None known.

Specific Target Organ Toxicity, Single Exposure : None known.

: None known.

Aspiration hazard : None known.
Additional information : N/Av

Specific Target Organ Toxicity, Repeated Exposure

SECTION 12 – ECOLOGICAL INFORMATION

Environmental effects : The product should not be allowed to enter drains or water courses or be deposited

where it can affect ground or surface waters.

Ecotoxicity: No data available.Biodegradability: No data available.Bioaccumulative potential: No data available.Mobility in soil: No data available.PBT and vPvB assessment: No data available.Other adverse effects: No data available.

## **SECTION 13 – DISPOSAL CONSIDERATION**

Handling for disposal : Handle waste according to recommendations in Section 7.

Methods of disposal : Dispose in accordance with all applicable federal, state, provincial and local

regulations. Contact your local, state, provincial or federal environmental agency

for specific rules.

Packaging : Handle contaminated packaging in the same manner as the product.

RCRA : For disposal of unused or waste material, check with local, state and federal

environmental agencies.

## **SECTION 14 – TRANSPORTATION INFORMATION**

Regulatory Information	UN Number	Shipping Name	Class	Packing Group	Label
TDG	None	This product is not regulated according to Canadian TDG regulations.	None	None	None
TDG Additional Information	None				
49 CFR/DOT	None	This product is not regulated according to US DOT regulations.	None	None	None
49 CFR/DOT Additional Information	None			•	

IATA : Not regulated for Air Transport

IMDG : Not regulated for Ocean Transport

## **SECTION 15 – REGULATORY INFORMATION**

#### Canadian Information:

This product has been classified according to the hazard criteria of the Hazardous Products Regulations (HPR). This SDS contains all information required by the HPR.

Canadian Environmental Protection Act (CEPA) information: All ingredients appear on the Domestic Substances List (DSL).

#### **US Federal Information:**

TSCA: All ingredients appear on the Toxic Substances Control Act (TSCA) inventory.

CERCLA Reportable Quantity (RQ) (40 CFR 117.302): None reported.

SARA TITLE III: Sec. 302, Extremely Hazardous Substances, 40 CFR 355: No Extremely Hazardous Substances are present in this material.

SARA TITLE III: Sec. 311 and 312, SDS Requirements, 40 CFR 370 Hazard Classes: Not Hazardous.

SARA TITLE III: Sec. 313, Toxic Chemicals Notification, 40 CFR 372: This product is not subject to SARA notification requirements, since it does not contain any Toxic Chemical constituents above *de minimus* concentrations.

## U.S. State Right to Know Laws

California Proposition 65: See product label for information.

Other State Right to Know Laws: 1317-65-3 calcium carbonate - NJ, PA.

## **SECTION 16 – OTHER INFORMATION**

HMIS Rating : \*- Chronic Hazard 0 - Minimal 1 - Slight 2 - Moderate 3 - Serious 4 - Severe

Health: 0 Flammability 1 Physical Hazard: 0 PPE: Gloves, safety glasses

Legend : ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstract Services

CERCLA: Comprehensive Environmental Response, Compensation, and Liability

Act of 1980

CFR: Code of Federal Regulations DOT: Department of Transportation DSL: Domestic Substances List EPA: Environmental Protection Agency GHS: Globally Harmonized System HPR: Hazardous Products Regulations

IARC: International Agency for Research on Cancer

Inh: Inhalation N/Av: Not Available N/Ap: Not Applicable

NIOSH: National Institute of Occupational Safety and Health

NTP: National Toxicology Program

OSHA: Occupational Safety and Health Administration

PEL: Permissible exposure limit

RCRA: Resource Conservation and Recovery Act SARA: Superfund Amendments and Reauthorization Act

STEL: Short Term Exposure Limit

TDG: Canadian Transportation of Dangerous Goods Act & Regulations

TLV: Threshold Limit Values
TSCA: Toxic Substance Control Act
TWA: Time Weighted Average

WHMIS: Workplace Hazardous Materials Identification System

#### **Disclaimer of Liability**

The Information presented herein is supplied as a guide to those who handle or use this product and has been prepared in good faith by technically knowledgeable personnel. It is not intended to be all-inclusive. The manner and conditions of use and handling may involve other and additional considerations. Safe work practices must be employed when working with any materials. It is important that the end user determines the adequacy of the safety procedures employed during the use of this product. No warranty of any kind is given or implied. ARDEX L.P. will not be liable for any damages, losses, injuries or consequential damages which may result from the use or reliance on any information contained herein.

Prepared By: ARDEX L.P. 400 Ardex Park Drive Aliquippa, PA, U.S.A. 15001

(724) 203-8000

Visit our Website: http://www.wwhenry.com

Revision date: : 24-Apr-2020

**End of Document**